

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	IS & R	L1	1	("5550513").PN.	USPAT	2006/12/27 12:38			
2	BR S	L2	441500	amplif\$	USPAT	2006/12/27 12:38			
3	BR S	L3	68374	transmission near2 (line or lines)	USPAT	2006/12/27 12:38			
4	BR S	L4	6159	anti adj parallel\$	USPAT	2006/12/27 12:57			
5	BR S	L6	1725	distributed near2 amplif\$	USPAT	2006/12/27 13:24			
6	BR S	L7	2	5 and 6	USPAT	2006/12/27 12:40			
7	BR S	L5	163	2 and 3 and 4	USPAT	2006/12/27 12:55			
8	BR S	L8	22	anti adj parallel\$ near2 amplif\$	USPAT	2006/12/27 12:57			
9	BR S	L9	403432	distributed	USPAT	2006/12/27 13:07			
10	BR S	L10	58	5 and 9	USPAT	2006/12/27 13:08			
11	BR S	L11	319	6 and "330"/\$.ccls.	USPAT	2006/12/27 13:27			
12	BR S	L12	395	travelling near2 wave near2 amplif\$	USPAT	2006/12/27 13:27			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Errors
13	BR S	L13	2	3 and 4 and 9 and 12	USPAT	2006/12/27 13:31		
14	BR S	L14	361	330/43.ccls.	USPAT	2006/12/27 13:31		
15	BR S	L15	530	330/53.ccls.	USPAT	2006/12/27 13:31		
16	BR S	L16	174	330/54.ccls.	USPAT	2006/12/27 13:31		
17	BR S	L17	0	14 and 15 and 16	USPAT	2006/12/27 13:32		
18	BR S	L18	5	14 and 15	USPAT	2006/12/27 13:36		
19	BR S	L19	43492	bi adj direction\$	USPAT	2006/12/27 13:34		
20	BR S	L20	508339	(bi adj direction\$) or bidirection\$ or ((different or opposite) near2 directi\$)	USPAT	2006/12/27 15:06		
21	BR S	L21	556	6 and 20	USPAT	2006/12/27 13:36		
22	BR S	L22	5	12 and 21	USPAT	2006/12/27 13:36		
23	BR S	L23	0	symmetric near2 bidirectional near2 amplifier	USPAT	2006/12/27 15:07		
24	BR S	L24	466	bidirectional near2 amplifier	USPAT	2006/12/27 15:07		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Com men ts	Err or Def ini tio n	Er ro rs
25	BR S	L25	66684	symmetric	USPAT	2006/12/ 27 15:07			
26	BR S	L26	37	24 and 25	USPAT	2006/12/ 27 15:07			